

High Quality Powertools Product Catalogue May 2017 - November 2017

WE'VE GOT THE **GEAR YOU WANT.** 

A GREAT RANGE

OF BEST VALUE


BUYS....

GREAT **QUALITY** 

WITH LOCAL NZ

SUPPORT.

**Preferred** Choice



Choose your brands based on performance for price:











INSIDE:

**Drilling** 

**Cutting** 

**Grinding/Sanding** 

Woodworking

Lathes

**Pressure Washers** 

**Accessories** 

**Outdoor/Garden** 

Puma™ Air Center

**Compressors** 

**Air Tools** 

and more..

**Battery Chargers** 


v effort has been made to ensure that every errort has been made to ensure that all models, prices, images & specifications are correct at the time of printing. However, details and specifications may change, so please check with your local distributor. Some product may ot be stocked at all stores. Prices may change without notification.

Good Value. **Great Performance.** After-sales Support.


See inside for our great range...

# TCOCLINE®

Choose your brands based on performance for price:



That's why more and more people are trusting Tooline. Shouldn't you?



specifications.

 Blade:
 254 x 15.9 x 2.8mm (40T)

 Maximum cutting capacity:
 309 x 90mm

 Weight:
 21Kg

 Motor (Watts):
 1800

inc GST

\$499.00



"You have our assurance of our commitment to source the best tools for you, offering the best value we can and standing behind our products with after-sales support, based right here in New Zealand. You can rely on our Tooline name to stand for quality, affordability and performance."

Martin Toon, Managing Director Tooline

#### It's easy to find the products that are right for you...



PREFERRED CHOICE



AFTER SALES SUPPORT



**GREAT FOR** THE HOME



POPULAR OPTION



AVAILABLE

MORE INFO



GRADE

PROFESSIONAL

BEST VALUE



JUST ADDED



- Drilling equipment
- Cutting gear
- Grinding/Sanding
- Woodworking
- Lathes
- Pressure Washers
- Accessories
- Outdoor/Garden equipment
- Compressors
- Air Tools
- **Battery Chargers** ... and more





And yes, you can rely on its quality and high performance. We've been dealing with Chinese manufacturers for a great many years now and we understand how they work, who to choose and how to ensure you get the best quality at a fair price.

We travel to China on a frequent basis to check quality standards, to oversee design features and to maintain our solid working relationships. That all pays off in being able to deliver you the right tools at a very competitive price.



Tank (l):

\$339.00

40

Motor (W):

1500

PREFERRED CHOICE

#### **Drilling**

#### **Drill Stand**

DMSA Model:

Bench mounted stand for hand-held drills.

Specifications:

Capacity: 38 - 43mm

Stroke: 50mm Weight: 7Kq

\$88.00 inc GST



#### 208mm Bench Drill Press

DP104B

Small and lightweight for the workshop.

#### **Specifications:**

Swing: 208mm

5, 580 - 2,650rpm Speeds:

13mm geared, MT2 - B16 Chuck:

Motor (Watts): 350 Weight: 19Kg

\$169.00





#### 252mm Bench Drill Press

Compact and sturdy, this is suitable for a wide variety of uses. Most appropriate for the small workshop where space is limited.

#### Specifications:

Swing: 252mm

Speeds: 5, 660 - 2,500rpm

Chuck: 16mm geared, MT2

Stroke: 500

Motor (Watts): Weight: 21.5Kg

\$297.00



#### 310mm Bench Drill Press

Compact and sturdy, this is suitable for a wide variety of uses. Most appropriate for the small workshop where space is limited.



Spindle travel:

310mm Swing:

12, 300 - 2,550rpm Speeds:

Chuck: 16mm geared, MT2

Motor (Watts): 375

Weight: 34Kq

\$469.00

inc GST



With a large coolant collection tray, this is ideal for general engineering workshops.

DP180B

55Kg

#### Specifications:

Swing: 360mm

Speeds: 16, 180 - 2,770rpm

16mm geared, MT2 Spindle travel: 85mm

Motor (Watts): 750

- Weight: – Inbuilt light
- No volt release switch for safety
- Cogged drive belts
- Max steel drilling capacity 20mm

\$746.00



#### 340mm Bench Drill Press

Model:

DP169B

inc GST

Bench mount makes this ideal for the woodworking shop where space is limited.

#### Specifications:

Swing: 338mm

Speeds: 16, 210 - 3,840rpm Chuck: 16mm geared, MT2

Spindle travel: 80mm Motor (Watts): 450 Weight: 53Kg

– Inbuilt light

\$539.00










Quality at a great price, with reliable performance and local after-sales support - that's our **Tooline** 

For more information, see our products instore

www.tooline.co.nz



Floor mounted drill press suitable for woodworkers. Aluminium motor housing and pulleys make this unit lightweight and efficient.

Specification	ıs:		
Swing:	338mm	338mm	
Speeds:	16, 210 – 3,84	16, 210 – 3,840rpm	
Chuck:	16mm geared, MT2		
Spindle travel: 80mm			
Motor (Watts):		450	
Weight:		48.5Kg	
– Inbuilt light			

\$626.00



#### 352mm Floor Drill Press

promise.

Sturdy and robust with a coolant tray for use in engineering workshops.

c	n	Δ	•	н	ca	 ^	ne	••

	- F			
Swing:	352mm			
Speeds:	12, 280 - 2,830rpm			
Chuck:	16mm geared, MT3			
Spindle travel: 85mm				

ciracia: Ionini gearea		, 1113
Spindle travel:		85mm
Motor (Watts):		750
Weight:		71Kg

- Aluminium belt pulleys
- Inbuilt light
  No volt release switch for safety
- Cogged drive belts
- Max steel drilling capacity 28mm

\$895.00



510mm Floor Drill Press

Ideal for large engineering workshops. Substantial work table, suitable for coolant collection.

Specification	3.		
Swing:	510mm		
Speeds:	12, 150 – 2,450rpm		
Chuck:	16mm geared, MT4		
Spindle travel: 120mm			

1100 Motor (Watts): Weight:

- No volt release switch for safetyInbuilt light
- Cogged drive belts for increased power transmission increased heat
- Max steel drilling capacity: 32mm

\$1429.00 inc GST



#### **432mm Floor Drill Press**

Heavy duty model

Specification	Specifications:			
Swing:	432			
Speeds:	12, 120 - 2,580rpm			
Chuck:	16mm geared, MT2			
Spindle travel: 80mm				
Motor (Watts	750			
Weight:		108Kg		

- Precision depth stop
- Cast iron handleNo volt release safety switch
- In built lightChuck protector

Coolant trayAluminium motor housing

\$1249.00



#### **508mm Floor Drill Press**

inc GST

Model: DP508F

Heavy duty model

Specifications:	

•	
Swing:	508mm
Speeds:	12, 150-2700rpm
Chuck:	16mm geared, MT3

Spindle travel: 130mm 1500 Motor (Watts): Weight:

- Precision depth stop Castiron handle
- No volt release safety switchIn built light
- Chuck protector
- Coolant trayAluminium motor housing

\$1849.00 inc GST



#### Cutting

#### Band Saw - 2 Wheel

With a power efficient motor, 80mm throat height and a tiltable cast iron table, slicing veneers, trimming planks or cutting shapes has never been so easy.

Specifications:

Throat width:			230mm		
Blade speed (m/s):			11.5		
Sawblade length:			1575mr	n	
Weight: 17kg Motor			(W):	350	

\$369.00



6,14 tpi blades available.

#### Band Saw - 2 Wheel

Model:	BS356
Large cast iron table with tilting 0°	

Specifications:

Table size:	548 x 400mm				
Throat width:			340mm		
Blade speeds (m/min):			400, 840		
Blade length:			2560mm		
Max work piece height:			230mm		
Weight: 88kg Motor			(w):	1100	

\$1199.00



#### **Band Saw – Metal Cutting**

Model: MBS116

Sturdy metal cutting bandsaw. Ideal for the small workshop. Stand included. Excellent blade guides allow for accurate work.

Specifications:

Cutting size (round): Cutting size (rectangle): 110 x 150mm 20/29/50 Blade speeds (m/min): Weight: 61kg **Motor (W):** 370

**\$749.00** 



#### **Bandsaw - Metal Cutting**

mouet:	MD32U3
205mm swivel head.	
Cassifications	
Specifications:	
Blade Speeds:	31,50,60m/min
Capacity round:	205mm

205x215mm Rectangular: Blade: 2360x20x0.9mm

Weight (kg): 190 Motor (W): 1,100

\$2699,00

inc GST



#### **Cut Off Saw - Single Phase**

model:	C310	Specifications	specifications:	
Heavy duty, 405mm cut off saw			406 x 3 x 25m	
for engineering workshops.				



Cutting capacity (round): 40mm

Box section: 100 x 100 x 10mm Flat: 100 x 6mm Weight: 90ka Motor (W): 2200, single phase

inc GST

#### Band Saw - 2 Wheel

Sturdy, two wheel band saw with 305mm throat for a wide variety of wood cutting. Stand included.

Specifications:

Throat width: 305mm Cutting Height: 170mm Blade speeds (m/min): 370,800 Sawblade length: 2234mm Max workpiece (mm): 600 x 600 x 170 Weight: 66kg Motor (W): 750

\$895.00



#### **Band Saw - Meat Cutting With** Mincer

Model: BS250M Meat cutting bandsaw with mincer and stand.

Specifications:

Table size (stainless steel): 465 x 600mm Max cutting height: 240mm Max cutting depth: 265mm Stainless steel 2085 x 16 x 4 Blade: Weight: 52kg Motor (W): 550



Spare Blades

#### **Band Saw - Metal Cutting**

180mm metal cutting bandsaw with coolant supply and hydraulic damper. Stand included.



Specifications: Capacity 0° (round): 178mm Capacity 0° (square): 178 x 300mm Capacity 45° (round): 115mm Capacity 45° (square): 115 x 180mm Blade speeds (m/min): 4, 34/41/59/98 **Blade size:** 2362 x 0.8 x 19mm

Weight: 158kg Motor (W): 750

\$2249.00

inc GST

#### **Abrasive Cut-off Saw**

355mm abrasive saw for metal cutting. Fast release clamp.

Specifications:

Model:

Blade size: 355 x 25.4mm Max Capacity (round): 90mm Max Capacity (rectangle): 100 x 120mm Weight: 17kg Motor (Watts): 2200

\$369.00 inc GST



#### Cut Off Saw - 3 Phase

CS17 3 Phase Heavy duty 405mm cut off saw suitable for engineering workshops.

100 x 6mm	
90kg	

Motor (W): 2200, 3 phase



#### **Table Saw**

Table saw for the domestic workshop. Stand included.

Specifications:

Blade: 254 x 15.9 x 2.8, 40T Max cutting capacity 90°: 80mm Max cutting capacity 45°: 55mm Weight: 21.5kg 1500 Motor (Watts):

inc GST

inc GST

\$429.00



#### **Table Saw**

Model: TS251

Stand included.

Specifications:

Blade: 254 x 15.9 x 2.8 (40T) Max cutting capacity 90°: Max cutting capacity 45°: 55 Weight: (kg) 49 Motor (Watts): 1500

\$749.00 inc GST



#### **Table Saw**

Model: TS255

Sturdy 255mm cast iron top table saw with large ripping capacity. Stand included.

Blade: 254 x 16mm (40 T) Max rip width (right): 835mm Max rip width (left): 305mm Weight: 135kg Motor (Watts): 2000

\$1529.00



#### **Site Saw**

TS315A

Sturdy crosscut and ripping saw for use on building sites or at the workshop. Comes with stand and rear extension. Dust extraction.

#### Specifications:

-		
Blade:	315 x 30mm x 3.0 (40T)	
Tilt:		0-45°
Max cutting depth 90°:		85mm
Max cutting depth 45°:		46mm
Table size:		800 x 550mm

Weight: 54kg Motor (W): 2000 \$749.00 inc GST



#### **Panel Sizing Saw**

Model: PS257 Complete with sliding carriage, and side extension.



Specifications:			
Blade:	254 x 30mm		
Main table:		560 x 800mm	
Cross extension table:		305 x 800mm	
Max timber width:		630mm	
Max timber length:		1400mm	
Max depth of cut 90°:		75mm	
Max depth of cut 45°:		60mm	
Motor (Watts):		2200	
Weight:		205Ka	

\$3240.00

#### **Crosscut Saw**

CS210

Lightweight mitre saw for the domestic workshop.

#### Specifications: 8.8mm

Blade: 210 x 15.9 x (24T) Tilt Range: 0-45° Weight: 87kg

1200

inc GST

\$179.00

Motor (Watts):





#### **Dual Bevel Sliding Crosscut Saw**

Model: CSS216

216mm slide saw with laser line, indexed mitre stops, 3 workpiece clamps and sliding fence.

#### Specifications:

Blade: 216 x 15.9 x 2.8mm (40T) Maximum cutting capacity: 305 x 62mm

Weight: 17.5kg Motor (Watts): 1500

\$439.00



#### **Dual Bevel Sliding Crosscut Saw**

Model: CSS254

254mm slide saw with laser line, indexed mitre stops, 3 workpiece clamps and sliding fence.

#### Specifications:

254 x 15.9 x 2.8mm (40T) Blade: Maximum cutting capacity: 305 x 90mm Weight: 21kg Motor (Watts): 1800

#### **Sliding Crosscut Saw**

305mm crosscut saw for general use


with roller side brackets and work clamp.

Specifications:

Blade: 305 x 25.4mm 40T Max cutting capacity: 305 x 105mm Range: +45° to -45° Weight: (kg) 23.5kg Motor (Watts): 1800

\$649.00





#### **Cutting/Grinding**

Scroll Saw			
SS402			
Variable speed with 405mm throat. Engraving tool and light included.			

Specifications: Speeds: 550 – 1650rpm Variable Max cutting thickness: 50mm Stroke: Throat: Weight: 16.9Kg Table tilt:45°Motor (W):125 \$289.00





Scroll Saw			
Model:		SS457	
Heavy duty, variable speed with 457mm throat. Engraving tool and router table included.			
Specification	s:		
Speeds:	400 - 1600	pm Variable	
Flexible shaft	t speeds:	1200 - 4500	rpm
Blade Stroke:		19mm	
Throat:		457mm	
Weight:		21.5kg	
Motor (Watts	):	240	
\$596	.00		inc GST

Metal Linisher				
Model:	MS76			
Heavy duty metal linisher for the engineering workshop. Stand included.				

Specifications:		
Belt size:	75 x 200mm, 8	30 grit
Belt speed:	30m/sec	
Working cap. on bed:		650 x 75mm
Working cap. on wheel:		200 x 75mm
Total rest height range:		700 – 1050mm
Weight:		72Kg
Motor (W):	2200	

inc GST

\$1199.00



Model:		MS100	
Heavy duty metal linisher for the engineering workshop. Stand included.			
Specifications:			
Belt size:	100 x 1220mm, 80 grit		
Belt speed:	19m/sec		
Weight:		35.5kg	
Motor (W):	1,500		
\$895.00 inc GST			

**Metal Linisher** 



#### **Drill Bit Sharpener** Model: DBS13 Drill bit sharpener

Specifications: **Drill bit sharpening range:** 3-13mm 118° Point angle fixed: Weight: 2.5Kg **Motor (W):** 80



Tile Cutter



Wetsilai	pen	CI
Model:		S4500
Utility Sharpener with Coolant tray.		
Specification	ıs:	
Wheel:		100 x 1220mm, 80 grit
Weight:		4.2kg
Motor (W):	80	
\$133	n	inc GST
TOO.	·U	liicusi

Wet Sharpener

Tile Cutter



Model:		TC180	
Portable tile o	Portable tile cutter with coolant tray.		
Specifications:			
Blade:	180 x 2.2mm		
Max cutting depth 90°: 34mm			
Max cutting d	epth 45°:	21mm	
Weight:		11.6kg	
Motor (Watts	):	450	
\$189	.00		inc GST



Spare Blades Available



Model:		TC250	
Portable tile cutter with coolant tray. Stand included			
Specification	ıs:		
<b>Blade:</b> 250 x 25.4 x 2		.2mm	
Max cutting depth 90°:		60mm	
Max cutting depth 45°:		48mm	
Max cutting width:		920mm	
Weight:		65kg	
Motor (Watts):		1100, IP54	
\$895	.00	inc GST	





#### 150mm Bench Grinder

Designed for New Zealand workshops, this rugged grinder offers lots of power with smooth running features for long life.

Speci	ificati	ons:
-------	---------	------

Stone size:	150 x 20 x 12.75mm
Spindle	12mm
Weight:	10.5Kg
Motor (Watts):	250

\$129.00



#### **Heavy Duty Bench Grinder**

Andel:	BG203

 $Robust\,bench\,grinder\,suitable\,for\,use\,with$ accessories. Auto on light. Coolant tray.

#### Specifications:

Stone size:	200 x 25 x 16mm
Spindle:	16mm
Weight:	18kg
Motor (Watts):	550

\$219.00

inc GST



#### **200mm Bench Grinder**

This grinder is robust and efficient, a  $compliment to the \, New \, Zealand \, workshop.$ Copper wires.

#### Specifications:

Stone size:	200 x 25 x 16mm
Spindle	16mm
Weight:	13kg
Motor (Watts):	300

\$179.00



#### **Heavy Duty Bench Grinder**

This heavy duty bench grinder is built tough. Comes with spindle for polishing mop and suitable for attaching accessories.

#### Specifications:

Stone size:			250 x 2	5 x 20mm
Spindle:			20mm	
Weight:	32.5kg	Motor	(W):	1100

\$389.00

inc GST



#### **Bench Grinder/Sander**

200mm Bench Grinder with wood sanding attachment. Auto on light.

#### Specifications:

Stone size:	200 x 20 x 16mm
Spindle:	16mm
Belt size:	50 x 700mm
Weight:	16.5kg
Motor (Watts):	350

\$299.00

inc GST



80, 120 grit belts available

#### **Heavy Duty Polisher**

Model:		BM250
mouet:		DIMEDI

250mm Bench Grinder with double mop

#### Specifications:

Disc diamete	er:		250mm	
Spindle:			20mm	
Weight:	32 5kg	Motor	(W)•	110

\$399.00

inc GST



#### **Disc Sander**

Model: DS306

Glue backed sanding disc.

#### Specifications:

Disc diameter	r:		305mm	
Table size:			440 x 1	56mm
Table tilt:			0 – 45°	
Weight:	285kg	Motor	(W):	750

\$447.00

inc GST

BD46C



#### **Belt and Disc Sander**

100x150mm belt and disc sander for the domestic workshop. Cast iron base for stability. Easy adjust belt tracking system. Belt can be used vertically.



Specifications:	
Speed:	7.35m/sec
Belt size:	100 x 914mm
Disc diameter:	150mm
Work table tilt:	45°
Belt table tilt:	95°
Motor (Watts):	375
Weight:	18kg
\$289.00	inc GST

#### **Belt and Disc Sander**

Large belt and disc sander for serious wood sanding jobs. Stand included.

#### Specifications:

Belt size:			150 x 12	219mm
Belt speed:			5.3 m/s	
Disc diamete	r:		230mm	
Table size:			298 x 1	52mm
Table tilt:			0 – 45°	
Weight:	57kg	Motor	(W):	550

\$790.00



For more information, see our products instore

www.tooline.co.nz

or go online...

#### **Sanding / Dust Collection**

Router Table	
Model:	RT013
Specifications:	
Table size:	500 x 400mm
Table height:	360mm
Table thickness:	25mm
Table apertures:	20, 42, 90
Weight:	16Kg
\$299,00	inc GST



Single Port Mini Dust Collector		
Model:	DC230	
Dust collector for use in confined spaces. Single 100mm inlet.		

Specifications:	
Inlets:	1 x 100mm
Fan diameter:	230mm
Weight:	22Kg
Motor (Watts):	750
\$399.00	inc GST



#### **Single Port Dust Collector**

Powerful 750 watt, single port dust collector, suitable for use in both professional and DIY workshop.

Specifications:	
Inlets:	1 x 100mm
Fan diameter:	230mm
Weight:	30Kg
Motor (Watts):	750
- Fine micron bag	

\$499.00 inc GST



2 Port Dust Collector		
Model:	DC201	
Two port, high power dust collector.		

Specifications:	
Inlets:	2 x 100mm
Speed:	2850rpm
Fan diameter:	300mm
Weight:	47Kg
Motor (Watts):	1500
– Fine micron bag	

\$669.00 inc GST



#### **3 Port Dust Collector**

Model: DC300 Dust collector for the larger workshop.

Specifications:	
Inlets:	3 x 100mm
Fan diameter:	305mm
Weight:	52Kg
Motor (Watts):	2200
– Fine micron bag	

\$899.00 inc GST



#### **Oscillating Belt Sander** Model: Horizontal and vertical belt sander with oscillating belt for fine sanding finish. Stand included.

Specifications:	
Belt speed:	960 m/sec
Belt width:	152mm
Belt length:	2515mm
Table travel:	80mm
Weight:	148kg
Motor (Watts):	2200

\$2239.00 inc GST



#### **Belt Sander** Model: Horizontal and vertical belt sander. Stand included.

Specification	s:			
Belt speed:			13 m/s	ec
Belt width:			152mm	
Belt length:			2010m	m
Max sanding	length	:	790mm	
Table tilt:			0 – 45°	
Weight:	86Kg	Motor	(W):	1100









Check out the performance, then check out the price...

#### **Planing/Misc**



RRS-B

**Ball Roller Stand** 

Model:

#### **Roller Stand** Model: RS-57-9 Specifications: Diameter of roller: 37mm Operation height: 650 - 1,100mm Weight: 31.8kg Dimension: 1680 x 510 x 190mm \$378.00 inc GST



Dall Roller Stand	
Model:	RRS-A
Compact and adjustable roller stand provides support for long work pieces. Sturdy construction.	
Specifications:	
Stand type:	Roller
Operation height:	700 - 1150mm
Tube diameter:	38mm
Weight:	10.5kg
Max holding weight:	200kg
\$99.00	inc GST

Rall Roller Stand



#### Compact and adjustable roller stand provides support for long work pieces. Sturdy construction. Specifications: Stand type: Ball Roller Operation height: 700 - 1150mm Tube diameter: 38mm 10.5kg Max holding weight: 200kg \$103.00



4M Mitre Saw Stand		
Model:	MSS180	
Sturdy light-weight stand su	its most brand	

of mitre saw. Quick-release saw mounts carry handle. Height adjustment.

Weight: \$399.00	25KG	
	250.10	
Max length:	4m 250KG	
Specifications:		



Universal Bench Grinder Stand			
Model:		GS-B	
Stand to suit all Tooline Bench Grinders and mops.			
Specifications:			
Base:	390 x 390 x 70mm		
Stand:	370 x 370 x 812mm		

15.5kg

inc GST



**Dust Extractor** Accessory - 4" Elbow

\$289.00

ELBOW

\$28.00

**Dust Extractor Accessory** - 4" Hose x 10 metres Model: TLA800 HOSE



**\$26.**40



Jointer		
Model:		J156
Specification	s:	
Blade speed:		9,000rpm
<b>Table:</b> 670 x 156mm		
Cutting width:		156mm
Range of cutting depth:		0-3mm
Weight:		16.5kg
Motor (Watts):		1280
\$399	.00	inc GST

Jointer/Pla	ner		
Model:		J150D	
Specifications:			
Table: 1	210 x 255mm	ı	
Cutting width:		153mm	
Max cutting dep	th:	12.7mm	
Max rabbeting:		12.7mm	
Weight:		116kg	
Knives: 3		3	
Motor (Watts): 750			
- Stand included			
\$1344.00 incGST			



Jointer/Planer			
Model:		J200C	
Specification	s:		
<b>Table:</b> 1800 x 3030m		m	
Cutting width:		203mm	
Max cutting depth:		12.7mm	
Max rabbeting:		12.7mm	
Weight:		208kg	
Motor (Watts):		1500	
– Stand included			
\$2199.00			: GST





**\$9.**30

**Dust Extractor** Accessory - 4" Cap Model: TLA810 CAP



\$13.90

**Dust Extractor Accessory** - 4" Blast Gate Model: TLA802 BLAST GATE



**\$20.**20

**Dust Extractor Accessory** - 4" Y Connector Model: TLA806 CONNECTOR

Mortising Machine		
Model: MS3612		
1/2" chisel capacity.		

Specifications: Chisel capacity: 1/4, 3/8, 1/2" Drill chuck: 13mm Table size: 340 x 150mm Spindle to fence: 3 3/4" Max mortising depth: 3" (76mm) Motor (Watts): 370 \$519.00

inc GST



Portable Clamping System		
Model:	JAWZILLA	
Foot operated.		
Specifications:		
Max load:	150kg	
Clamping range:	0 - 1050mm	
Weight:	20.6kg	
\$359.00	inc GST	



#### **Portable Thicknesser**

Model: Anti kickback pawls. Return rollers.

Specification	s:				
Min cutting length:			127mm	127mm	
Max cutting width:			318mm		
Max cutting depth:			3mm		
Range of thickness:		5 -153mm			
Feed speed:			8 m/min		
Cutter speed:			9,000rpm		
Weight:	32kg	Motor	(W):	1800	

\$649.00 inc GST



406mm Thicknesser			
Model:		PT104	
Industrial	thicknesser. Three	knives.	
Specifications:			
Table:	453 x 406mm	453 x 406mm	
Max cuttin	Max cutting width: 406mm		
Max depth	depth of cut: 4.1mm		
Max thickn	ess: 204mm		
Cutter spec	ed:	<b>1:</b> 5,000rpm	
Feed rates:	16,20fpm		
Weight:		229kg	
Motor (Wa	tts):	1800	
\$309	99.00	inc GST	



#### **Wood Lathe**

Model: WL1000 I

Lightweight wood lathe for the domestic workshop.

Specifications:	
Speed range:	850-2510rpm
Max turning diameter:	375mm
Distance between centres:	1000mm
Weight:	27kg
Motor (Watts):	375
4	

\$329.00



#### **Wood Lathe**

Model:

Variable speed for convenience. Head rotates for bowl turning. Comes with workstand.

_			-		
Sp	eci	itio	:at	ior	ıs:

Variable Speed: 500-2000rpm Max turning diameter 310mm Distance between centre 910mm Weight: 83kg Motor (Watts): 550

\$1045.00

inc GST

inc GST





#### reliability at home for the right price

Same great brand with more of a DIY spin



#### 12 Piece Wood Carving Tool Set

TLA230

12 chisels in 65Nm steel. In plastic pouch.

\$40.00 inc GST



#### 8 Piece Wood Turning Tool Set

TLA225 Model:

8 chisels in 65Nm steel. In plastic pouch.

\$50.00 inc GST



#### **6 Piece Wood Turning Tool Box Set**

Model:

TLA218

6 chisels in HSS. In plastic case.

\$189.00 inc GST



#### **Collet Chuck Set**

Model: ER 16 MT3

Collet chuck set MT3.

\$297.00

inc GST

**Collet Chuck Set** 

Model: ER 16 MT4

inc GST

inc GST

Collet chuck set MT4.

\$297.00



#### **Turning Tool Sets 16mm** Code: TLA214

7 piece

\$282.00 inc GST



#### Turning Tool Set of Tips 16mm

7 tips for 16mm turning tools.

**\$119.00** 

inc GST



#### **Turning Tool Set 10mm**

Code: TLA210 7 piece

\$229.00



Turning Tool Set of Tips 10mm		
Code:	TLA211	
7 tine for 10mm turning to als		

inc GST

\$119.00

#### **Cross Slide Vice**

Model: CV4 Width: 100mm

\$118.00

inc GST

#### **Cross Slide Vice**

Model: CV6 Width: 150mm

\$165.00 inc GST



#### **Welding Vice**

Model: WV100 Width: 100mm

\$105.00 inc GST

**Welding Vice** 

Model: WV125 Width: 125mm

\$133.00 inc GST



#### **Guild-screw Leading-in Vice**

Model: Q19100E Width: 100mm

\$66.00

#### **Guild-screw Leading-in Vice**

Model: Q19123E Width: 125mm

\$81.00 inc GST

#### Guild-screw Leading-in Vice

Model: Q19150E Width: 150mm

inc GST

\$109.00



#### **Accessories / Compressors**



<b>Drill Press Vice</b>	DDVC
Model:	DPV6
\$55.00	inc GST
. 9	

### Buy a brand that you can trust to be fit for purpose













Compressor Oil	
Model:	TLA 470
1 Litre	
\$23.50	inc GST
Airtool Oil	
Model:	TLA 472
250ml	
\$8.00	inc GST







Direct Drive, High Pressure				
Model:			AC2017	7
Suitable for nail guns - 145psi.				
Specification	Specifications:			
Pump displac	ement:		206L/n	nin
Free air deliv	ery:		122L/m	nin
Weight:			25kg	
Tank (l):	16	Motor	(W):	1500
\$372.	.00			inc GST



Single Phase, Direct Drive				
Model:			AC2025	5
General purpose compressor.				
Specifications:				
Pump displacement: 200L/min				
Free air delivery:		122L/min		
Weight:			22.5kg	
Tank (l):	24	Motor	(W):	1500
\$239.	00			inc GST

Compressor -



Compressor – Single Phase, Direct Drive				
Model:			AC2041	l
General purpose compressor.				
Specifications:				
Pump displac	ement:		200L/m	nin
Free air delive	ery:		122L/m	nin
Weight:			30kg	
Tank (l):	40	Motor	(W):	1500
\$339	.00	)		inc GST





#### Compressor -Single Phase, Direct Drive

Model: AC2551 50 litre compressor when extra air storage is required.

Specifications:

Pump displacement: 230 l/min 140 l/min Free air delivery: Weight: 35.5kg Tank (l): 50 Motor (W): 1800 \$399.00



#### Compressor -Single Phase, Direct Drive

AC3050V

50 litre tank, twin cylinder for quiet running.

Specifications:

Pump displacement: 356 l/min Free air delivery: 215 l/min

Tank (l): 50 Motor (W): 2200

inc GST





#### Compressor -Single Phase, Belt Drive

Specifications:

Pump displacement: 312 l/min Free air delivery: 187 l/min Tank (l): 50 2200 Motor (W):

\$790.00

inc GS



#### Compressor -Single Phase, Belt Drive

Model: HY360/50

Extra pump cooling. High pressure - 145psi.

Specifications:

Pump displacement: 334 l/min Free air delivery: 247 l/min Tank (l): Motor (W):

inc GS1



#### Compressor -Single Phase, Belt Drive

HY360/100

General purpose compressor when extra storage capacity is required. High Pressure

Specifications:

Pump displacement: 334 l/min Free air delivery: 247 l/min Tank (l): 100 Motor (W): 2200



#### Compressor -Single Phase, Belt Drive

Suitable for spray painting and running light air tools, this two cylinder compressor is strong and reliable.

Specifications:

390 l/min Pump displacement: Free air delivery: 295 l/min

Tank (l): 58 Motor (W): 2200



#### Compressor -Single Phase, Belt Drive

An additional cylinder (3 in total) makes this

suitable for most industrial air tools. Tough and efficient, it runs smoothly and provides for all of your compressor needs. Low current draw at cut-out.

Pump displacement: 420 l/min Free air delivery: 305 l/min Tank (l): 58 Motor (W): 2200

inc GST



#### Compressor - 3 Phase

Model: Puma 28 Specifications: Pump displacement: 970 l/min Free air delivery: 610 l/min Tank (l): 170 Motor (Watts): 4000

\$2990.00



#### **Compressors / Pumps / Outdoor**



# Compressor – 3 Phase Model: Puma 40 Specifications: Pump displacement: 1215 l/min Free air delivery: 795 l/min Tank (l): 220 Motor (W): 5500 \$4360.00 inc6ST



Compressor – 3 Phase				
Model:			Puma 5	5
Specifications:				
Pump displacement:			1680 l/min	
Free air deliv	ery:		1190 l/	min
Tank (l):	259	Motor	(W):	7500
\$5770.00 inc GST				



#### Compressor – Petrol

Model: AC24/50

A lightweight and convenient compressor that's easily transportable. Auto idle.

Specifications:

 Pump displacement:
 312 l/min

 Free air delivery:
 187 l/min

 Tank (l):
 50
 Motor (hp):
 6.5 Loncin

\$1189.00





Bare Pump	
Model:	PE75
Suitable for Puma 28.	
Specifications:	
Displacement:	970 l/min
\$1492.00	inc GST



Bare Pump	
Model:	PE100
Suitable for Puma 40.	
Specifications:	
Displacement:	1215 l/min
\$1990.00	inc GST



Bare Pump	
Model:	PE150
Suitable for Puma 55.	
Specifications:	
Displacement:	1680 l/min
\$2800.00	inc GST



Pressure Washer – Petrol		
Model:	PW2500	
2500psi pressure washer with turbo lance and 5 quick nozzles.		
Maximum pressure:	2500psi	
Motor (hp):	5.0 Loncin	
Water flow:	8.3 l/min	
Weight:	35kg	
\$749.00	inc GS	



Pressure Washer – Petrol		
Model:	PW2800	
2800psi pressure washer with turbo lance and 5 quick nozzles.		
Maximum pressure:	2800psi	
Motor (hp):	6.5 Loncin	
Water flow:	11.3 l/min	
Weight:	45kg	
\$999.00	inc GST	



Pressure Washer - Petrol		
Model:	PW4000	
Impressive 4000psi pressure washer with turbo lance and 5 quick nozzles.		
Maximum pressure:	4000psi	
Motor (hp):	14 Loncin	
Water flow:	18.2 l/min	
Weight:	67kg	
\$1720.00	inc GST	



#### **Outdoor / Gardening**











Garden Shredder		
Model:	GS2000	
For shredding leaves and sticks up to 30mm diameter.		
Blades:	2 flat & 1 vertical	
Infeed Opening:	30 x 160mm	
Net Weight:	30kg	
Motor (Watts):	2000	
\$449.00	inc CST	

**Plate Compactor - Petrol** 

Vibratory, heavy duty. Wheels and water tank included.

PC63

25cm

63kg

25m/min

inc GST

515 x 390mm 5.5 LONCIN

Model:

Plate size:

Motor (hp): Compaction depth:

Travel Speed

\$789.00

Weight:

Wood Chipper - F	Petrol	
Model:	WC70	
Chipping capacity:	70mm	
Rotor size:	400 x 10mm	
Weight:	108kg	
Motor (HP):	6.5 Loncin	
\$1399.00		inc GST



N. A.	\$
	100,
	305n
NEW	Pla
	Mod
	Vibr
	Plate
	Moto
	Com
The state of the s	Weig
	\$9





Log Splitter - Petro	l
Model:	LS20
Specifications:	
Splitting force	20 Ton
Log capacity	620mm
Motor (hp):	6.5 Briggs & Stratton
Weight:	252kg
\$2799.00	inc GST



Log Splitter - Elect	ric
Model:	LS5
Specifications:	
Splitting force	5 Ton
Log capacity	520mm long 350mm diameter
Motor:	2200 watts
Weight:	45kg
\$589,00	inc GST



Earth Auger	- Petrol
Model:	EA250
Туре:	1 or 2 person
Engine:	4hp, 4 stroke (141cc)
Max speed:	200rpm
Gear ratio:	16:1
Weight:	17Kg
<b></b>	_

100,

589.00	inc GST	
, 150, 200, 250mm augers avail mm extension shaft available	able, N	IEW

Plate Compactor	- Petrol
Model:	PC86
Vibratory, heavy duty. W	/heels included.
Plate size:	540x420mm
Plate size:	540X420MM
Motor (hp):	6.5 LONCIN
Compaction depth:	30cm
Weight:	86kg
\$969.00	inc GST
4303.00	ilic d51



#### **Air Tools - Professional**



16 Piece, 6mm die grinder kit.

\$148.00

AT-7132MK

inc GST

**Die Grinder** 

Code:

Drill







<b>\$133.00</b>	inc GST
	1
	9
	7
~	

AT-7033(M)

**Die Grinder** 

¢122 00

Code:

Drill

Code:

6mm mini.

Code:	AT-7132
6mm heavy duty die	grinder.
\$107.00	) ,
2	200

**Die Grinder** 









Medium duty 3/8" angle.

AT-4035



AT-4038

Drill

Code:











	ch
Code:	AT-5044K
1/2" heavy duty imp wrench kit.	pact
\$388.0	0 inc GST





**Impact Wrench Kit** 







The state of the s
· Co

**Impact Wrench** 

3/8" impact wrench (jumbo hammer).

\$357.00

Code:

AT-5133

inc GST

$\pm 1$		B	
4	× .		ă
			n





Impact Wrench	
Code: AT-5088	
1" heavy duty 1" drive and 8" anvil. Double hammer mechanism.	
\$2000 00	

inc GST	
	- E

	Impact Wrench	
	Code:	AT-5130
3/8" impact wrench (rocking dog – butterfly).		
\$149.00 inc GST		



Impact Wrench		
Code:	AT-5141	
1/2" impact wrench with pin clutch.		
\$339.00	) inc GST	



Impact Wrench	
Code: AT-5148	
1/2" impact wrench with twin hammer.	
\$477.00 inc65T	



#### Air Tools - Professional



Spray Gun with Tank

2 1/4 gallon paint tank with spray gun.

\$626.00

Code:

#### **Spray Gun**

Code: AS-1001

Heavy duty, gravity feed.

\$177.00 inc GST



#### **Orbital Sander**

Code: AT-7004DS

Heavy duty 150mm sander with

\$445.00 inc GST



#### Hydraulic Riveter 3/16" **Medium Duty**

Code: AT-6015

3/16" hydraulic riveter (medium duty).

\$186.00



inc GST

#### **Metal Shears**

AT-6021

\$169.00

inc GST



#### **Spray Gun**

AS-1002

Gravity air spray gun with 600cc

\$192.00



#### Belt Sander 10 x 33mm

AT-7009

Heavy duty finger sander  $25/64'' \times 13'' (10 \times 33 mm)$ .

\$229.00



#### Hydraulic Riveter 3/16"

AT-6015K Code:

3/16" hydraulic riveter kit (medium duty).

\$236.00



#### 3" Cut Off Tool

AT-6027

Medium duty, 73mm disc.

inc GST



#### **Spray Gun**

Code:

AS-1040R High pressure spray gun (simple control).

\$169.00



#### Belt Sander 20 x 520mm

AT-7010

Heavy duty belt type sander

\$369.00

inc GST



#### Hydraulic Riveter 3/16" **Heavy Duty**

AT-6218

Code:

3/16" hydraulic riveter (heavy duty).

\$723.00



#### **Body Saw**

AT-6011

Medium duty, front exhaust.



#### **Spray Gun with Pot**

AS-1070

2 litre spray tank with spray gun.

\$328.00

inc GST



#### Angle Grinder – 100mm

AT-7036

100mm level throttle type, medium duty angle grinder.

259.00



#### Angle Grinder – 125mm

AT-7037

125mm level throttle type, medium duty angle grinder.

\$276.00

inc GST

inc GST



Adjustable clutch screwdriver piston type 800rpm.

#### **Impact Cushion Clutch** Screwdriver Screwdriver -**Slow Revving**

AT-4063

Low rotational speed screwdriver (2,500rpm).

\$213.00



#### **Body Saw** (Front Exhaust) Kit

AT-6011K

Medium duty, body saw with 18 piece kit.



#### Nibbler

AT-6025

AT-4080A

\$158.00





#### Sand Blasting Kit

Sand blasting kit.

\$56.00

Code: AA-3071



Nylon Hose 1/4" 1/4" x 25' nylon hose.

\$11.00

#### Nylon Hose 3/8"

3/8" x 25' nylon hose.

Code: AA-1014 \$23.00 inc GST



#### Coupler

1/4" Connector male in display pack

Code: AP 1/4 M \$2.10

#### Coupler

1/4" Female connector in display pack

Code: AP 1/4 F



#### Flux Chipper

Code: AT-2501

Heavy duty industrial flux chipper.



#### Hammer

Code: AT-2012

Medium duty 190mm hammer

\$118.00



#### 10m PVC Air Hose

PVC1016 Code:

Roll of 3/8" PVC air hose with 1/4" BSP fittings.

\$28.00 inc GST

20m PVC Air Hose

Code:

**Duster** 

Duster.

\$47.00 inc GST

3-Way Quick Coupler

1/4" 3-way quick coupler.

\$46.00

**Needle Scaler** 

Heavy duty needle scaler.

**Hammer 9 Piece Kit** 

Medium duty hammer with

\$133.00

9 piece kit.

PVC2016

Code: AA-3010

Code: AQC3A

AT-2500

AT-2012KR

inc GST



PVC3016

30m PVC Air Hose

Code:

#### **Wonder Gun Kit**

Wonder gun kit.

**Hose Barb** 

display pack

**Tyre Gauge** 

Professional 3 function tyre gauge.

**26.80** 

Code: AA-5005 \$64.00





1/4" Connector with hose barb in

Code: HR1/4M

inc GST

#### **Quick Coupler**

1/4" female in display

Code: QC1/4F **\$7.10** 

#### **Quick Coupler**

1/4" male in display pack.

Code: QC1/4M



#### Filter/Regulator

Control unit for PUMA 15, 17

\$106.00



#### **Under Coating Gun**

Under coating gun.

Code: AA-5001 \$58.00



#### **Blow Gun**

300mm wand.

Code: AA-5012-3 **\$14.00** 



#### 10m Rubber Air Hose

R1016

Roll of 3/8" rubber air hose with 1/4" BSP fittings.

\$44.00

20m Rubber Air Hose

Code: R2016

\$66.00 inc GST

5 Piece Quick Coupler Kit

1/4" 5 piece quick coupler kit.

Code: AA4022

Code: QC1/4M



#### 2-Way Quick Coupler

1/4" 2-way quick coupler.

3-Way Quick Coupler

1/4" 3-way quick coupler.

Code: AQC-3B \$46.00





Code: AQC-2B

#### Hex Nipple

Code:

1/4" x 1/4" BSP coupler in display pack.

**\$5.23** 

inc GST



#### **Polisher**

7" angle polisher, medium duty.

AT-7074



#### **Gravity Fed Spray Gun**

HVLP Spray gun 600ml cup





#### When you're working with tools, you should be working with Tooline.

















**Air Tools - Home Series** 







**Touch Up Spray Gun** 



Air Brush Set

ABS1



Spray Gun Kit - 5 Piece

Code:

AK-6



For more information or further details, visit www.tooline.co.nz


















#### **Outdoor / Gardening**



50mm Transfer Pump	
Model:	WH20CX
Specifications:	
Displacement (M³/hr):	40
Outlet size (mm):	50
Motor (hp)	5.7
\$449.00	inc GST



80mm Trash Pump	
Model:	WH30TP
Specifications:	
Displacement (M³/hr):	70
Outlet size (mm):	80
Motor (hp)	9.5
\$746.00	inc GST



80mm Transfer Pump	
Model:	WH30CX
Specifications:	
Displacement M³/hr:	70
Outlet size (mm):	80
Motor (hp)	6.7
\$551.00	inc GST





#### **Battery Chargers**

Hyundai Smart Battery Charger	
Model:	HSC200
Charging voltage (V)	12V
Max input power (W)	150
Charging Current (A)	1.5A
\$73.00	inc GST



Hyundai Smart Battery Charger	
Model:	HSC400
6V, 12V, 4 Amp, 4 Stage	
Battery voltage:	6V, 12V
Battery capacity:	5-120AH
Charging stage memory time:	12hrs
Protection class:	1P65
Charging Current (A)	4
\$109.00	inc GST



Hyundai Smart Battery Charger	
Model:	HSC800
Charging voltage (V)	6V, 12V
Max input power (W)	150
Output	6V, 12V, 5Stage
Charging current (A)	8
\$189.00	inc GST



Hyundai Smart Battery Charger	
Model:	HSC1500
Charging voltage (V)	6V, 12V, 24V
Max input power (W)	180
Output	6V, 12V, 24V, 5Stage
Charging current (A)	15
\$249.00	inc GST



If you have questions or a specific product enquiry, email us at info@tooline.co.nz







Choose wisely

All our products have been carefully sourced to offer the best, most reliable performance at the best price...

Our TOOLINE promise is to provide a great choice for our customers and to back our products up with a genuine commitment.

We're looking to provide tools you can trust to get the job done and give you carefree operation. **G**ood Value

Great Prices

Fantastic Range

Proven Performance

Afer-sales Support

Dependable

Popular Brands

Choice of Models

Buy well

See our special guide to

## GENERATORS & INVERTERS

OR VISIT www.morepowertoyou.co.nz

**Tooline Limited** 

49A Sonter Road, Christchurch Telephone: (03) 365 5931 Facsimile: (03) 365 5932 Email: sales@tooline.co.nz

23 3331 Email. Sales@

Available from:

